

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1430 Alexascin, Virginia 22313-1450 www.nepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/801,204	03/15/2004	Boon Keat Tan	70040131-1	3118	
57299 Kathy Manke	7590 03/18/200	19	EXAM	IINER	
Avago Techn	ologies Limited	NGUYEN, LUONG TRUNG			
4380 Ziegler Fort Collins,			ART UNIT PAPER NUMBER		
Tox Commo,	00 00020		2622	•	
			NOTIFICATION DATE	DELIVERY MODE	
			03/18/2000	EL ECTRONIC	

### Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

avagoip@system.foundationip.com kathy.manke@avagotech.com scott.weitzel@avagotech.com

# Office Action Summary

Application No.	Applicant(s)	
10/801,204	TAN ET AL.	
Examiner	Art Unit	
LUONG T. NGUYEN	2622	

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS,

cameu	parent	femili	aujusui	ient.	366.31	CFK	1.704(	υj.

WHICHEVER IS LONGER, FROM THE MAILING DATE OF Extensions of time may be available under the provision of 37 CFR 1.36(a). In after SX (0) MCWTHS from the making date of the communication. All the communication of the	no event, however, may a repty be timely filed and will expire SIX (6) MONTHS from the mailing date of this communication. a application to become ABANDONED (35 U.S.C. § 133).
Status	
1) Responsive to communication(s) filed on 19 December 2a) This action is FINAL. 2b) This action 3) Since this application is in condition for allowance exclosed in accordance with the practice under Ex parter.	is non-final. cept for formal matters, prosecution as to the merits is
Disposition of Claims	
4) ⊠ Claim(s) <u>1-21</u> is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from  5) □ Claim(s) is/are allowed.  6) ⊠ Claim(s) <u>1-4,6-16 and 18-21</u> is/are rejected.  7) ⊠ Claim(s) <u>5.17</u> is/are objected to.  8) □ Claim(s) are subject to restriction and/or electic	
Application Papers	
9) The specification is objected to by the Examiner.  10) The drawing(s) filed on sidare: a) cocepted of applicant may not request that any objection to the drawing Replacement drawing sheet(s) including the correction is re	(s) be held in abeyance. See 37 CFR 1.85(a). equired if the drawing(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119	
12) ☐ Acknowledgment is made of a claim for foreign priority     a) ☐ All b ☐ Some * c) ☐ None of:     1. ☐ Certified copies of the priority documents have     2. ☐ Certified copies of the priority documents have     3. ☐ Copies of the certified copies of the priority documents have     application from the International Bureau (PCT     * See the attached detailed Office action for a list of the office ac	been received. been received in Application No uments have been received in this National Stage Rule 17.2(a)).
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
Notice of Draftsperson's Patent Drawing Review (PTO-948)     Information Disclosure Statement(s) (PTO/95/08)	Paper No(s)/Mail Date.  5) Notice of Informal Pater Lapplication

U.S.	Patent and	Trade	mark Office
PT	OL-326 (	Rev	08-06)

Paper No(s)/Mail Date \_\_\_

6) Other:

#### DETAILED ACTION

#### Response to Arguments

 Applicant's arguments with respect to claims 1-21 filed on 12/19/2008 have been considered but are moot in view of the new ground(s) of rejection.

## Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
  obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1, 4, 6-10, 13-16, 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sonoda et al. (US 5,329,111) in view of Hosier et al. (US 5,633,679).

Regarding claim 1, Sonoda et al. discloses a color component color sensing circuit, comprising:

a color sensor circuit comprising a first photodetector configured to receive incident light falling thereon, and to provide, in response to the incident light falling thereon, a first light photocurrent therefrom as a first output voltage, the first output voltage corresponding to an intensity of one of a Red Green and Blue component of the incident light as such intensity occurs under operating temperatures (Sonoda et al. discloses output voltages corresponding to color signals R, G, B are outputted from image sensor 1 via amplifiers 2, 3, 4, and entered differential

Art Unit: 2622

amplification circuits 8, 9,10 via resistors 8d, 9d, 10d; which occurs at a temperature of surrounding area or environment such as a room temperature, figure 7, column 1, lines 10-67);

a differential amplifier circuit (differential amplification circuit 8, figure 7, column 1, lines 10-67) operably coupled to said color sensor circuit and to said dark color sensor circuit, said differential amplifier circuit being configured to receive said first and second output voltages, remove, using said second output voltage, said dark color offset voltage from said first output voltage, and thereby provide a dark color offset voltage and current operating temperature compensated output signal to a differential output thereof representative of said intensity of said color component.

Sonoda et al. fails to specifically disclose a dark color sensor circuit comprising a second photodetector configured to detect and provide a dark second photocurrent proportional to said current operating temperatures and output a second output voltage corresponding to an offset voltage generated by said dark second photocurrent under current operating temperatures. However, Hosier discloses an image sensor array 10, which comprises dark photosensor 15d which establish a reset voltage or offset signal by which all of the active photosensors 15 can be calibrated (figures 1, 2, column 3, line 32 - column 4, line 29). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device Sonoda et al. by the teaching of Hosier in order to provide an image sensor array includes dark photosensors, which are used periodically reset the offset voltage for the photosensors (column 1, lines 59-65).

Art Unit: 2622

Regarding claims 4, 10, Sonoda et al. discloses wherein said differential amplifier circuit comprises:

a difference amplifier (differential amplifier 8a, figure 7, column 1, lines 10-67) configured to provide said compensated output signal to said differential output and further comprising a positive input, and a negative input;

a feedback resistor (resistor 8b, figure 7, column 1, lines 47-67) having a resistor value with one end coupled to said negative input and another end coupled to said differential output;

a first resistor (resistor 8d, figure 7) having said resistor value coupled in series with a color sensor output configured to provide said first output voltage and said negative input;

a second resistor (resistor 8c, figure 7) having said resistor value coupled in series with a dark sensor output of said dark sensor circuit configured to provide said second output voltage and said positive voltage;

a third resistor (resistor 8e, figure 7) having said resistor value coupled in series to said positive input and to ground.

Regarding claims 6, 13, 19, Sonoda et al. discloses wherein said color component comprises red (figures 6-7, column 1, lines 10-67).

Art Unit: 2622

Regarding claims 7, 14, 20, Sonoda et al. discloses wherein said color component comprises green (figures 6-7, column 1, lines 10-67).

Regarding claims 8, 15, 21, Sonoda et al. discloses wherein said color component comprises blue (figures 6-7, column 1, lines 10-67).

Regarding claim 9, Sonoda et al. discloses a color sensing circuit configured to senses a plurality components of light incident thereon, comprising:

a plurality of Red, Green and Blue color sensor circuits, each color sensor circuit comprising a first photodetector and being configured to receive incident light falling thereon, and to provide, in response to the incident light falling thereon, a first light photocurrent therefrom as a first output voltage, the first output voltage corresponding to one of Red, Green and Blue color component of the incident light as such intensity occurs under current operating temperatures (voltage indicating intensity of R color signal outputted from amplifier 2 and entered differential amplification circuit 8; voltage indicating intensity of G color signal outputted from amplifier 3 and entered differential amplification circuit 9; voltage indicating intensity of B color signal outputted from amplifier 4 and entered differential amplification circuit 10; the image sensor 1 output these output voltages at a temperature of surrounding area or environment such as a room temperature, figure 7, column 1, lines 10-67);

at least one differential amplifier circuit (differential amplification circuit 8, figure 7, column 1, lines 10-67) operably coupled to said plurality of color sensor circuits and to said dark

Art Unit: 2622

color sensor circuit and being configured to receive said first and second output voltages, remove, using said second output voltage, said dark color offset voltage from each of said first output voltages, and provide dark color offset voltage and current operating temperature compensated output signals corresponding to each of said color components to at least one differential output thereof, each of said output signals representing said intensity of said color component corresponding thereto.

As for claim 16, claim 16 is a method claim of apparatus claim 1. Therefore, see Examiner's comments regarding claim 1.

As for claim 18, see Examiner's comments regarding claim 9.

### Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
  obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 2-3, 11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sonoda et al. (US 5,329,111) and Hosier et al. (US 5,633,679) in view of Nagasaki et al. (US 5,502,488) further in view of Nelson et al. (US 5,508,507).

Art Unit: 2622

Regarding claims 2-3, 11-12, Sonoda et al. and Hosier et al. fail to specifically discloses a sensor circuit comprises:

a transimpedance amplifier including an output configured to provide said first output voltage, a negative input, and a positive input;

a feedback resistor with one end coupled to said output and another end coupled to said negative input;

a photodetector configured to detect said photocurrent of said color component and comprising a photodetector input coupled to ground and to said positive input, and a photodetector output coupled to said negative input.

However, Nagasaki et al. discloses a circuit of one pixel of a solid-state imaging device which comprises photodiode 8, the output of the photodiode 8 coupled to the negative input of amplifier 11, the input of the photodiode 8 coupled to ground; the positive input of amplifier 11 coupled to ground; the amplifier 11 includes a feedback resistor (figure 16, column 6, lines 39-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Sonoda et al. by the teaching of Nagasaki et al. in order to provide a current-voltage converting circuit, which assures sufficient output voltage.

Sonoda et al., Hosier et al. and Nagasaki et al. fail to specifically disclose a compensation capacitor coupled in parallel with said feedback resistor to said output and said negative input. However, Nelson et al. teaches a combination circuit 51, which includes a compensation capacitor 56, a feedback resistor 54 and operational amplifier 52 (figure 3, column 11, lines 27-36). Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to modify the device in Sonoda et al., Hosier et al, and Nagasaki et al, by the teaching of Nelson et al. in order to provide a transimpedance amplifier which results in a conversion of current pulse into a corresponding voltage pulse (column 11, lines 27-36).

Page 8

## Allowable Subject Matter

6. Claims 5 and 17 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2622

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUONG T. NGUYEN whose telephone number is (571) 272-7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DAVID L. OMETZ can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/David L. Ometz/ Supervisory Patent Examiner, Art Unit 2622

/L. T. N./ 3/12/09